



昭信標準檢驗股份有限公司

GENERAL STANDARD LABORATORY CO., LTD.

LAB-FR-300-0014

http://www.fdalab.com.tw

營業處：242 新北市新莊區中山路一段67號15樓

電話：02-8522-1588


免費客服專線：0800-213-888

實驗室：243 新北市泰山區明志路三段517號6樓

傳真：02-8522-1388

E-mail：fda@fdalab.com.tw

第1頁共4頁



藥物化學檢驗實驗室

檢驗結果報告書

報告日期：101年10月15日

檢體編號：10110-0048-B01-1

送檢日期：101年10月05日

委託人/單位：瑞法貿易有限公司

委託人地址：台中市南屯區寶山里寶山五街117之19號

檢體名稱：補益多血紅素螯合粉末 DR.BILL BLOODFULL CHELATED POWDER

樣品外觀：夾鏈袋內裝粉末

檢測項目：常見西藥成份(188項)分析

檢驗方法：以高效能液相層析儀(High Performance Liquid Chromatography)分析。


參考依據：昭信實驗室自訂方法 (LAB-OP-1A0-0045)。

檢驗結果：經高效能液相層析儀(光二極體陣列檢測器)自動與標準品比對
未檢出 188 項常見西藥成份，類別如下(明細詳附錄)

類固醇	降血脂類	荷爾蒙類	麻藥拮抗劑
利尿劑	抗生素類	糖尿病用藥	抗組織胺類
腸胃類	精神科類	解熱止痛劑	心臟血管類
神經興奮劑	肌肉鬆弛劑	支氣管擴張劑	鎮咳祛痰劑
局部麻醉類	痛風治療類	成癮性麻醉劑	禁用藥物 其他

備註：

1. 本檢驗結果報告非經過本公司許可，不得任意私自變造、塗改或部分複製使用。
2. 本檢驗結果報告僅適用於送樣檢體，如對檢驗結果有疑問，請於七日內向本公司查詢。
3. 本報告書僅供參考，不得以任何方式做為商業廣告及其他宣傳推銷。
4. 送驗檢體已消耗完畢。



實驗室主任：林威社

昭信常見西藥成份分析細目分類

檢體編號：10110-0048

序號	分析項目	檢驗結果	M.D.L. (mg/g)	序號	分析項目	檢驗結果	M.D.L. (mg/g)
類固醇：(9)				34	Metolazone	N.D.	1.75
1	Betamethasone	N.D.	2.00	35	* Spironolactone	N.D.	1.00
2	Cortisone acetate	N.D.	1.00	36	Triamterene	N.D.	0.88
3	Dexamethasone	N.D.	1.00	抗生素：(30)			
4	Hydrocortisone	N.D.	1.00	37	Amoxicillin trihydrate	N.D.	1.00
5	Hydrocortisone-21-Acetate	N.D.	1.00	38	Ampicillin trihydrate	N.D.	0.80
6	Methylprednisolone	N.D.	0.50	39	Chloramphenicol	N.D.	0.30
7	Prednisolone	N.D.	0.50	40	Chlortetracycline	N.D.	0.80
8	Prednisone	N.D.	0.20	41	Erythromycin estolate	N.D.	3.20
9	Triamcinolone acetonide	N.D.	1.00	42	Fluconazole	N.D.	0.40
降血脂類：(3)				43	Griseofulvin	N.D.	0.30
10	Benzafibrate	N.D.	0.06	44	Isoniazid	N.D.	0.25
11	Clofibrate	N.D.	0.06	45	Metronidazole	N.D.	1.00
12	Gemfibrozil	N.D.	0.07	46	Nalidixic acid	N.D.	1.00
荷爾蒙類：(14)				47	Nitrofurantoin	N.D.	1.00
13	17a-Ethynylestradiol	N.D.	0.16	48	Nitrofurazone	N.D.	1.00
14	3,3,5-Triiodothyronine free acid	N.D.	0.45	49	Norfloxacin	N.D.	1.00
15	Carbimazole	N.D.	0.50	50	Oxolinic acid	N.D.	1.00
16	Clomiphene Citrate	N.D.	2.50	51	Phenazopyridine	N.D.	1.00
17	Diethylstilbestrol	N.D.	1.00	52	Rifampicin	N.D.	0.80
18	Danazol	N.D.	7.50	53	Sulfadiazine	N.D.	1.00
19	Estradiol benzoate	N.D.	1.00	54	Sulfadimethoxine	N.D.	0.30
20	Estriol	N.D.	0.25	55	Sulfaguanidine	N.D.	0.50
21	Estrone	N.D.	0.25	56	Sulfamerazine	N.D.	0.40
22	Ethynyl-Androstenediol	N.D.	7.50	57	Sulfamethazine	N.D.	0.45
23	Formestane	N.D.	15.00	58	Sulfamethizole	N.D.	0.30
24	Methyltestosterone	N.D.	3.00	59	Sulfamethoxazole	N.D.	0.20
25	Progesterone	N.D.	2.50	60	Sulfamethoxypyridazine	N.D.	0.40
26	Testosterone propionate	N.D.	4.00	61	Sulfanilamide	N.D.	0.40
麻藥拮抗劑：(2)				62	Sulfathiazole	N.D.	0.50
27	* Naloxone	N.D.	0.25	63	Sulfisomidine	N.D.	1.00
28	* Naltrexone	N.D.	0.25	64	Sulfisoxazole	N.D.	1.00
利尿劑：(8)				65	Tetracycline HCl	N.D.	0.80
29	Acetazolamide	N.D.	10.00	66	Trimethoprim	N.D.	0.20
30	* Chlorothiazide	N.D.	0.20	糖尿病用藥：(7)			
31	* Furosemide	N.D.	0.25	67	Acetohexamide	N.D.	0.50
32	* Hydrochlorothiazide	N.D.	0.60	68	Chlorpropamide	N.D.	0.25
33	Indapamide	N.D.	0.75	69	Glybenclamide	N.D.	0.25

昭信常見西藥成份分析細目分類

檢體編號：10110-0048

序號	分析項目	檢驗結果	M.D.L. (mg/g)	序號	分析項目	檢驗結果	M.D.L. (mg/g)
70	Metformin	N.D.	0.50	104	Sulpiride	N.D.	1.00
71	Phenformin hydrochloride	N.D.	0.50	105	Thioridazine	N.D.	0.50
72	Tolazamide	N.D.	0.13	解熱止痛劑：(26)			
73	Tolbutamide	N.D.	0.25	106	Acemetacin	N.D.	0.20
抗組織胺類：(8)				107	Acetaminophen	N.D.	0.25
74	Brompheniramine maleate	N.D.	0.13	108	Acetylsalicylic acid	N.D.	1.00
75	Carbinoxamine maleate	N.D.	0.13	109	* Aminopyrine	N.D.	0.70
76	Chlorpheniramine maleate	N.D.	0.50	110	* Benzydamine	N.D.	0.40
77	Cinnarizine	N.D.	0.13	111	Bucetin	N.D.	0.25
78	Diphenhydramine	N.D.	0.53	112	* Bufexamac	N.D.	0.20
79	Diphenidol	N.D.	0.14	113	Diclofenac sodium	N.D.	0.10
80	Ketotifen Fumarate	N.D.	0.25	114	Dipyron	N.D.	2.00
81	Triprolidine	N.D.	0.50	115	Ethoxybenzamide	N.D.	0.10
腸胃類：(11)				116	Fenbufen	N.D.	0.25
82	Atropine	N.D.	0.40	117	* Flufenamic acid	N.D.	0.40
83	Bisacodyl	N.D.	0.40	118	Flurbiprofen	N.D.	0.20
84	Buscopan (scopolamine n-butylbromide)	N.D.	1.00	119	* Ibuprofen	N.D.	0.20
85	Camyllofine	N.D.	1.00	120	* Indomethacin	N.D.	0.30
86	Cimetidine	N.D.	0.40	121	* Ketoprofen	N.D.	0.18
87	DL-Homatropine	N.D.	0.40	122	* Mefenamic acid	N.D.	0.25
88	Ethaverine	N.D.	0.30	123	* Methylsalicylate	N.D.	0.04
89	Flopropione	N.D.	0.30	124	Naproxen	N.D.	0.40
90	Metoclopramide	N.D.	0.60	125	Niflumic acid	N.D.	0.35
91	Oxyphencyclimine	N.D.	1.00	126	Oxyphenbutazone	N.D.	0.60
92	Propantheline bromide	N.D.	0.40	127	Phenacetin	N.D.	0.20
精神科類：(13)				128	Phenylbutazone	N.D.	0.50
93	Chlormezanone	N.D.	0.13	129	Piroxicam	N.D.	0.40
94	Chlorpromazine HCl	N.D.	0.25	130	Salicylamide	N.D.	0.10
95	Clordiazepoxide HCl	N.D.	0.25	131	* Sulindac	N.D.	0.20
96	Diazepam	N.D.	0.25	心臟血管類：(11)			
97	Diphenylhydantoin	N.D.	0.13	132	Atenolol	N.D.	1.00
98	Flunitrazepam (FM2)	N.D.	0.16	133	Diltiazem	N.D.	0.25
99	Fluoxetine	N.D.	0.50	134	Dipyridamole	N.D.	1.00
100	Meprobamate	N.D.	10.0	135	Hydralazine HCl	N.D.	2.00
101	Oxazolam	N.D.	2.00	136	Methyldopa	N.D.	0.25
102	Phenobarbital	N.D.	0.25	137	Minoxidil	N.D.	0.25
103	Primidone	N.D.	0.25	138	Nifedipine	N.D.	0.50

昭信常見西藥成份分析細目分類

檢體編號：10110-0048

序號	分析項目	檢驗結果	M.D.L. (mg/g)	序號	分析項目	檢驗結果	M.D.L. (mg/g)
139	Pentoxifylline	N.D.	0.25	164	Noscapine HCl	N.D.	1.00
140	Prazosin	N.D.	1.00	165	Papaverine (罌粟鹼)	N.D.	0.50
141	Propranolol	N.D.	1.00	局部麻醉類：(6)			
142	Reserpine (蛇根鹼)	N.D.	1.00	166	Benzocaine	N.D.	0.13
神經興奮劑：(7)				167	Dibucaine	N.D.	0.59
143	* Caffeine (咖啡因)	N.D.	0.25	168	Lidocaine	N.D.	0.25
144	Ephedrine (麻黃素)	N.D.	2.50	169	Oxethazaine	N.D.	0.25
145	* Methylephedrine	N.D.	1.00	170	Procaine	N.D.	5.81
146	Phenylephrine	N.D.	2.00	171	Tetracaine	N.D.	0.50
147	Phenylpropanolamine	N.D.	4.00	痛風治療類：(5)			
148	Theobromine (可可鹼)	N.D.	1.00	172	Allopurinol	N.D.	1.00
149	Theophylline (茶鹼)	N.D.	0.13	173	Benzbromarone	N.D.	0.25
肌肉鬆弛劑：(5)				174	Colchicine	N.D.	0.25
150	Carisoprodol	N.D.	10.00	175	Probenecid	N.D.	0.25
151	Chlorzoxazone	N.D.	0.63	176	Sulfinpyrazone	N.D.	0.25
152	Flavoxate	N.D.	0.25	成癮性麻醉劑、禁用藥物：(6)			
153	Mephesisin	N.D.	0.13	177	* Amphetamine (安非他命)	N.D.	1.00
154	Orphenadrine citrate	N.D.	0.25	178	* Fenfluramine	N.D.	1.00
支氣管擴張劑：(4)				179	Heroin (海洛因)	N.D.	1.00
155	Aminophylline(Theophylline)	N.D.	3.38	180	Ketamine (K他命)	N.D.	1.00
156	Dihydroxypropyltheophylline (Diprophylline、Dyphylline)	N.D.	0.25	181	Methamphetamine(甲基安非他命)	N.D.	1.00
157	Fenoterol	N.D.	4.25	182	* Phentermine	N.D.	0.25
158	* Salbutamol	N.D.	1.00	其他：(6)			
鎮咳、祛痰劑：(7)				183	Chlorhexidine	N.D.	0.40
159	Becantex	N.D.	8.00	184	Methimazole (抗甲狀腺藥物)	N.D.	1.30
160	Bromhexine	N.D.	2.00	185	Mixed alkyltrimethylammonium bromide	N.D.	0.80
161	Cloperastine	N.D.	0.50	186	Nicotine (尼古丁)	N.D.	0.40
162	Dextromethorphan	N.D.	1.00	187	Podophyllotoxin (鬼臼毒素)	N.D.	0.20
163	Guaifenesin	N.D.	0.13	188	santonin (山道年)-驅蟲劑	N.D.	2.30

備註：1.N.D.：表示未檢出；陽性：表示檢出。

2.分析項目有標示"*"記號者，係屬財團法人認證基金會 TAF 認可項目。